



## ABUNDANCE

96.5" X 96.5"

Sew this pattern using a scant  $\frac{1}{4}$ " seam allowance.

WOF = width of fabric, RST = right sides together, HST = half square triangle

**Step 3:** TIME FOR GROWTH BLOCK. Make 16 blocks.  $9\frac{1}{2}$ " x  $9\frac{1}{2}$ " unfinished blocks.

This block uses Fabrics # 4, 6, 7, 8, 9, 10 and 11.

### Cutting instructions:

Fabric #6 Cut 3 -  $5\frac{3}{8}$ " strips WOF. Sub-cut into 24 -  $5\frac{3}{8}$ " x  $5\frac{3}{8}$ " squares. Label 'A'.

Fabric #9 Cut 1 -  $3\frac{1}{8}$ " strip WOF. Sub-cut into 8 -  $3\frac{1}{8}$ " x  $3\frac{1}{8}$ " squares. Label 'E'.

Fabric #10 Cut 3 -  $2\frac{1}{8}$ " strips WOF. Sub-cut into 16 -  $2\frac{1}{8}$ " x  $7\frac{5}{8}$ " rectangles. Label 'D'.

Fabric #4 Cut 6 -  $2\frac{1}{8}$ " Strips WOF. Sub-cut into 16 -  $2\frac{1}{8}$ " x 14" rectangles. Label 'B'.


Fabric #7 Cut 6 -  $2\frac{1}{8}$ " Strips WOF. Sub-cut into 16 -  $2\frac{1}{8}$ " x  $10\frac{3}{4}$ " rectangles. Label 'C'.

Fabric #8 Cut 3 -  $2\frac{1}{8}$ " Strips WOF. Sub-cut into 16 -  $2\frac{1}{8}$ " x  $7\frac{5}{8}$ " rectangles. Label 'F'.

Fabric #11 Cut 1 -  $3\frac{1}{8}$ " strip WOF. Sub-cut into 8 -  $3\frac{1}{8}$ " x  $3\frac{1}{8}$ " squares. Label 'G'

Cut a 45 degree angle on both ends of each strips of Fabric #10, 4, 7, and 8.

Align 45 degree line on the ruler at the bottom of each strip. Then turn ruler to cut opposite end.




**Block construction:**

Pair RST pieces 'E' to 'D'. Place on the short side of 'D'.

Center 'E' so dog ears extend over both sides


To enable a 1/4" seam. Stitch and press to 'D'.

Make 16 of these units. Label 'DE'.



Pair RST and sew unit 'DE' to piece 'A'.

Make 16 HST. Press to the dark and trim to 5" x 5".



With remaining Fabric #6 'A' triangles place on either side of the HST, as in diagram. Press away from HST.

Label 'ADE'.

Pair RST pieces 'G' to 'F'. Place on the short side of 'F'.

Center 'G' so dog ears extend over both ends

To enable a 1/4" seam. Stitch and press to 'F'.

Make 16 of these units. Label 'GF'.




Pair RST pieces 'C' to 'GF'. Place on the short side of 'GF'.

Center 'C' so dog ears extend over both sides

To enable a 1/4" seam. Stitch and press to 'GF'.

Make 16 of these units. Label 'CGF'.




Pair RST pieces 'B' to 'CGF'. Place on the short side of 'CGF'.

Center 'B' so dog ears extend over both sides

To enable a ¼" seam. Stitch and press to 'CGF'.

Make 16 of these units. Label 'BCGF'.



This is the other side of the 'ADE'.



Pair each of these units 'ADE' to 'BCGF'

To construct another large HST.

Press to 'BCGF'.



Make 16 blocks.

9 ½" x 9 ½" "unfinished".

Congratulations! You have now finished step three. Until next month.