

mountain CUSTOM QUILTING

ABUNDANCE

96.5" X 96.5"

Sew this pattern using a scant $\frac{1}{4}$ " seam allowance.

WOF = width of fabric, RST = right sides together, HST = half square triangle

Step 5: FLOURISH BLOCK. Make 8 blocks. $9\frac{1}{2}$ " x $9\frac{1}{2}$ " unfinished blocks.

This block uses Fabrics # 6, 21, 22, 23 and 24.

Cutting instructions:

Fabric #6 Cut 2 - $5\frac{3}{8}$ " strips WOF. Sub-cut into 12 - $5\frac{3}{8}$ " x $5\frac{3}{8}$ " squares.

Cross cut once on the diagonal = 24 triangles Label 'A'.

Fabric #24 Cut 1 - $5\frac{3}{8}$ " strip WOF. Sub-cut into 4 - $5\frac{3}{8}$ " x $5\frac{3}{8}$ " squares.

Cross cut once on the diagonal = 8 triangles Label 'B'.

Fabric #22 Cut 1 - $5\frac{3}{8}$ " strip WOF. Sub-cut into 4 - $5\frac{3}{8}$ " x $5\frac{3}{8}$ " squares.

Cross cut once on the diagonal = 8 triangles Label 'C'.




Fabric #21 Cut 1 - $3\frac{1}{8}$ " strip WOF. Sub-cut into 8 - $3\frac{1}{8}$ " squares.

Cross cut once on the diagonal = 16 triangles Label 'D'.

Fabric #21 Cut 1 - $2\frac{3}{4}$ " strip WOF. Sub-cut into 8 - $2\frac{3}{4}$ " squares Label 'E'.

Fabric #21 Cut 1 - $5\frac{3}{4}$ " strip WOF. Sub-cut into 4 - $5\frac{3}{4}$ " squares.

Cross cut twice on the diagonal = 16 triangles Label 'F'.



Fabric #23 Cut 2 – 3 1/8" strips WOF. Sub-cut into 16 – 3 1/8" squares.

Cross cut once on the diagonal = 32 triangles Label 'G'.

Block construction:

HST construction use piece 'A' to piece 'B'.


Sew on the diagonal, press to the dark piece 'B'.

Make 8 HST. Trim to 5" x 5".

With remaining Fabric #6 'A' pieces, place on either side of these HST's

creating a diagonal for the larger HST.

Press away from center HST. Label HST 'A'



Flying Geese blocks:

Pair piece 'F' with 2 'G' pieces.

RST place piece 'G' to one side of piece 'F'. note piece 'G' will be flush along the bottom edge of piece 'F' and will overlap a tip on the top point of piece 'F'.


Stitch on the diagonal press toward 'G'.

Repeat step in reverse on other side.

Trim flying geese to 2 3/4" x 5".


Make 16 flying geese.

Add piece 'D' to left side of one flying geese. Press away from flying geese. Make 8 FG1 units.



Add piece 'E' to left side of one flying geese, add piece 'D' to right side of flying geese.

Press away from flying geese, make 8 of these FG2 units.




Pair FG1 unit to piece 'C', sew and press towards 'C'.

Make 8. C+ units.

Pair FG2 unit to C+ unit.

Press towards C+.

Make 8.



RST pair up HST 'A' with 'C+' unit. Sew on the diagonal. Press to HST 'A'.

Make 8 blocks. Trim to 9 1/2" x 9 1/2" unfinished.



You have now completed Step 5.

See you next month.